

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1764	370/235.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/23 16:42
L2	339	370/461.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/23 16:42
S1	303965	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (time with delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:11
S2	5295	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:11
S3	5497	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with (delay or latency)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:12
S4	4	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with (delay or latency) with grant\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:13
S5	823	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:14

S6	110	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) same (transmi\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:16
S7	75	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:16
S8	98	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) and ("370" or "455").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:19
S9	34	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) same (grant\$5 or transmi\$5) and ("370" or "455").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 15:42
S10	11	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and txop same (delay or latency)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 16:04
S11	22	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (transmission near3 (right or period or grant\$5)) with delay)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 16:07

S12	22	(@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (transmission near3 (right or period or grant\$5)) with (delay or latency))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 08:58
S14	6	(@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay bound) and (msdu\$2 or mpdu\$2)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:08
S15	1084	370/229.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:09
S16	241	370/346.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:09
S17	851	370/449.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:09
S18	468	370/395.4.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:09
S19	461	370/343.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:09
S20	196	370/344.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:13
S21	97	(@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and txop	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:15

S22	15946	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (maximum or max) near4 delay	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:16
S23	84	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (maximum or max) near4 delay same (grant\$5)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 18:17
S24	1	("20060171362").PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2007/12/04 18:18
S25	1198	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay with bound)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 10:07
S26	560	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay near2 bound)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 10:08
S27	13	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay near2 bound) and (msdu \$2)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:23
S28	122	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 10:23
S29	90	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 10:24

S30	7	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound)) and log	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:48
S31	4	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (txop with bound)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:44
S32	1	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))). ab.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:49
S33	90	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound)))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:50
S34	0	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))) and txop	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:49
S35	2	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) same ((packet loss rate) or plr) and (delay or (delay bound)))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/07 11:51
S36	1	("5537414").FN.	US-PGRUB; USPAT; USOCR	OR	OFF	2008/06/09 12:05

S37	670	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (txop or transmission opportunit\$4)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/09 12:22
S38	19628	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near4 (delay or latenc\$2))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/10 12:45
S39	14161	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/10 12:46
S40	449	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2)) with (allocat\$5 or grant\$5 or assign\$5)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/10 12:47
S41	423	((@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2)) same (time or period\$2 or bandwidth or timeslot\$2 or slot\$2 or txop or transmission opportunit\$4) near3 (allocat\$5 or grant\$5 or assign\$5)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/10 12:49
S42	1	("2002102740").PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2008/06/10 13:23
S43	4617	(max\$4) near3 (delay or latenc\$2) and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ("370" or "455" or "709").clas.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/19 14:14

10/23/2008 4:42:38 PM

C:\Documents and Settings\kcehic\Desktop\apps\10532049\049.wsp